

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S76	23	(US-20040051789-\$ or US-20040051794-\$ or US-20040160519-\$ or US-20030021475-\$ or US-20040046974-\$). did. or (US-6137914-\$ or US-6738169-\$ or US-5602599-\$ or US-5844565-\$ or US-6970169-\$ or US-5109282-\$ or US-5621868-\$ or US-6385628-\$ or US-6226015-\$ or US-5774130-\$ or US-6249273-\$ or US-6219459-\$ or US-5101440-\$ or US-7038810-\$ or US-5680179-\$ or US-5121448-\$ or US-4783838-\$).did. or (EP-1014688-\$).did.	US-PGPUB; USPAT; EPO	OR	ON	2008/05/09 14:16
S77	31024	"23" and recursiv\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 14:16
S78	5	S76 and recursiv\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 14:16
S79	1	low\$4pass with edge near2 enhanc\$5 with recursive\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 14:19
S80	6	filter\$3 with edge near2 enhanc\$5 with recursive\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 14:19

S81	6	filter\$3 with edge near2 enhanc\$5 with (recursive\$5 or repeatedly)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 14:21
S82	15	filter\$3 with edge near2 enhanc\$5 with (recursive\$5 or repeat \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 14:21
S83	799	filter\$3 with low\$4pass with (recursive\$5 or repeat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 14:25
S84	8	filter\$3 with low\$4pass with (recursive\$5 or repeat\$4) with image and (brush or sketch\$3 or cartoon or paint\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 14:26
S85	105	("348" or "358" or "382" or "378" or "345").clas. and (epeatedly or recursive \$3) near5 low\$3pass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 14:29
S86	5	S85 and edge near3 enhanc\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 14:29
S87	28	382/265.ccls. and low \$4pass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 14:33
S88	116	recursiv\$4 near4 filter and (brush or sketch\$3 or cartoon or paint\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 14:34
S89	34	recursiv\$4 near4 filter and (brush or sketch\$3 or cartoon or paint\$4) and "382".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 14:36
S90	7	(smooth or low\$4pass or low\$4frequenc\$4) same recursiv\$4 near4 filter and (brush or sketch\$3 or cartoon or paint\$4) and "382". clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 14:50

S91	7	recursively near4 filter and (brush or sketch\$3 or cartoon or paint\$4) and "382".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 15:25
S92	8	recursively near4 filter \$3 and (brush or sketch \$3 or cartoon or paint \$4) and "382".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 15:25
S93	9	recursively near4 filter \$3 near4 (low\$4pass) and "382".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 15:26
S94	10	conver\$3 with image with cartoon	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 15:29
S95	0	(conver\$3 produc\$3) with image with (cartoon caricature sketch\$3) and (recursiv \$4 or repeat\$5) near4 filter with (edge or laplace or low\$4pass)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 15:33
S96	2	(cartoon caricature sketch\$3) and (recursiv \$4 or repeat\$5) near4 filter with (edge or laplace or low\$4pass)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 15:33
S97	109	image with (recursiv\$4 or repeat\$5) near4 filter \$4 with (edge or laplace or low\$4pass)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 15:34
S98	0	(conver\$3 produc\$3) with image with (cartoon caricature sketch\$3) and (recursiv \$4 or repeat\$5) near4 filter\$4 with (edge or laplace or low\$4pass)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 15:44
S99	0	(conver\$3 produc\$3 creat\$4) with image with (cartoon caricature sketch\$3) and (recursiv\$4 or repeat\$5) near4 filter \$4 with (edge or laplace or low\$4pass)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 15:44

S100	0	(conver\$3 produc\$3 creat\$4) with image with (cartoon caricature sketch\$3) and (recursiv\$4 or repeat\$5) with filter\$4 with (edge or laplace or low\$4pass)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 15:45
S101	0	(conver\$3 produc\$3 creat\$4) with (cartoon caricature sketch\$3) and (recursiv\$4 or repeat\$5) with filter\$4 with (edge or laplace or low\$4pass) with image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 15:45
S102	0	(conver\$3 produc\$3 creat\$4 generat\$3) with (cartoon caricature sketch\$3) and (recursiv\$4 or repeat\$5) with filter\$4 with (edge or laplace or low\$4pass) with image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 15:45
S103	0	(conver\$3 produc\$3 creat\$4 generat\$3) with (cartoon caricature sketch\$3) and (recursiv\$4 or repeat\$5) with filter\$4 with (edge or laplace or low\$4pass)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 15:46
S104	9	(conver\$3 produc\$3 creat\$4 generat\$3) with (cartoon caricature sketch\$3) and (recursiv\$4 or repeat\$5 or loop) with filter\$4 with (edge or laplace or low\$4pass)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 15:46
S105	7	(cartoon caricature) and (recursiv\$4 or repeat\$5 or loop) with filter\$4 with (edge or laplace or low\$4pass)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 15:47
S106	0	recursively near5 edge near3 (anhanc\$3 or adjust\$4) and (caricature or cartoon)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 15:50

S107	1	recursively near5 edge near3 (enhanc\$3 or adjust\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 15:50
S108	2	recursively near5 edge near3 (enhanc\$3 or adjust\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 15:50
S109	15	recursively near5 ((edge near3 (enhanc \$3 or adjust\$4)) or high \$4pass or laplace)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 15:51
S110	6	recursively near5 ((edge near3 (enhanc \$3 or adjust\$4)) or high \$4pass or laplace) with image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 15:51
S111	2	repeatedly near5 ((edge near3 (enhanc \$3 or adjust\$4)) or high \$4pass or laplace) with image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 15:52
S112	23	repeat\$4 near5 ((edge near3 (enhanc\$3 or adjust\$4)) or high \$4pass or laplace) with image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 15:53
S113	19	"1014688"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 15:55
S114	2	"7038810".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 15:58

S115	26	("20040184057"   "4485397"   "4772958"   "4817174"   "4825295"   "4835404"   "4914519"   "4922335"   "4969053"   "4972243"   "5038223"   "5053896"   "5101440"   "5126838"   "5245432"   "5254847"   "5276581"   "5489995"   "5675664"   "5684600"   "5802217"   "5949556"   "6088487"   "6219459"   "6798906"   "RE34309").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/09 15:59
S116	0	(recursively or repeatedly) near5 (average or mean) near2 filer\$3 with image	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/09 16:03
S117	8	(recursively or repeatedly) near5 (average or mean) near2 filter\$3 with image	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/09 16:03
S118	8	(recursively or repeatedly) near5 (average or mean) near2 filter\$3 with image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 16:03
S119	3	(recursively or repeatedly) near5 (average or mean) near2 filter\$3 with image and edge with (repeatedly or recursively)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 16:06
S120	3	(recursively or repeatedly) near5 (average or mean) near2 filter\$3 with image and (edge laplace high\$1pass) with (repeatedly or recursively)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 16:07

S121	3	(recursively or repeat \$4) near5 (average or mean) near2 filter\$3 with image and (edge laplace high\$1pass) with (repeatedly or recursively)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 16:12
S122	3	(recursively or repeat \$4) near5 (average or mean) near2 filter\$3 with image and (edge laplace high\$1pass) with (repea\$4 or recursively)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 16:12
S123	27	(recursively or repeat \$4) near5 filter\$3 with image near4 (edge laplace high\$1pass)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 16:12
S124	27	(recursively or repeat \$4) near5 filter\$3 with image near4 (edge laplace high\$1pass) and repeat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 16:18
S125	27	(recursively or repeat \$4) near5 filter\$3 with image near4 (edge laplace high\$1pass) and repeat\$5 and edge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 16:19
S126	1	10/775084	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 18:32
S127	1	10/775084 and program	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 18:32
S128	1	10/775084 and program and (medium or memory or storage or card or ram or rom)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 18:33

S129	1	10/775084 and program same (medium or memory or storage or card or ram or rom)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 18:34
------	---	--	---	----	----	---------------------

5/ 9/ 08 7:32:00 PM

C:\ Documents and Settings\ NHernandez\ My Documents\ EAST\ Workspaces\ 10775084a.wsp